

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	10/750,455	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/03/01 09:45
S2	102	(("6131150") or ("6801990") or ("6839822") or ("6842838") or ("4757438") or ("5355469") or ("6199075") or ("5930829") or ("6408368") or ("6941436") or ("5623608") or ("5561786") or ("5680582") or ("5893121") or ("5828877") or ("5920876") or ("6035375") or ("5737481") or ("5838892") or ("6430723") or ("6490635") or ("6094664") or ("5764883") or ("6175900") or ("4907151") or ("4989137") or ("5625819") or ("5809554") or ("6065020") or ("6064811") or ("6125434") or ("6308185") or ("6363468") or ("6490670") or ("6640290") or ("6757802") or ("7051056") or ("5761731") or ("5778430") or ("5696927") or ("6910213") or ("4758944") or ("4775932") or ("5251303") or ("5375241") or ("5577243") or ("5652883") or ("5721917") or ("5751613") or ("5787447")). PN.	OR	OFF	2006/06/12 13:11	
S3	2824	mcmahon.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/06/12 13:19

S4	218	S3 and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/06/12 16:23
S5	1504	(711/171-173).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 13:31
S6	124913	(pattern or flag) near3 (overwrite or use or used or allocate or allocated)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/06/12 14:05
S7	72	S5 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/06/12 13:32
S8	2	(((pattern) near3 (overwrite)) with heap) and checksum	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/06/12 13:57
S9	4	(("20040221120") or ("6381682")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/13 17:21
S10	1515	(pattern or flag) near2 (overwrite or allocate or allocated)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/06/12 14:06
S11	841	heap near2 (allocate or allocation or allocated)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/02/28 10:55
S12	10	S11 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/06/12 14:06

S13	2	09/768,517	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/06/12 14:19
S14	3	S11 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/06/12 14:32
S15	32	09/748,589	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/06/12 15:07
S16	42	09/638,439	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/06/12 15:07
S17	2824	mcmahon.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/06/12 16:23
S18	218	S17 and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/06/12 16:23
S19	2	S18 and heap	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/06/12 16:25
S20	192	(345/543).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 16:25
S22	124913	(pattern or flag) near3 (overwrite or use or used or allocate or allocated)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/06/12 16:26

S23	24	S20 and S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/06/12 16:29
S24	2	S23 and heap	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/06/12 16:31
S26	2	swafford-michael.in. or chase-kevin-charles.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/08/08 10:40
S28	0	((disk drive) near checksum). ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/06/13 14:36
S29	5	((disk drive) near checksum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/06/13 14:36
S33	1088	(memory with block) with allocate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/06/13 17:23
S36	7	S33 and (timestamp with block)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/06/13 17:24
S37	66	heap near2 index	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/02/28 10:55
S38	502	heap near2 (index or pointer or reference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/02/28 10:55

S39	151	((block or segment) near2 (allocate or allocation or allocated)) with heap	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/02/28 10:56
S40	0	heap with canary	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/03/01 10:24
S41	117	stack protection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/03/01 10:24
S42	46	S41 and (pattern or canary or flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/03/01 10:25
S43	0	("2001/0013094").URPN.	USPAT	ADJ	OFF	2007/03/01 10:50
S44	0	cowan-crispan.in.	USPAT	ADJ	OFF	2007/03/01 10:50
S45	2	("20010013094").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 16:21
S46	17	timestamp with heap	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/03/05 17:06
S47	1372	timestamp with (request or allocate or free or deallocate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/03/05 17:06
S48	656	timestamp near3 (request or allocate or free or deallocate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/03/05 17:07

S49	529	S48 and (block)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/03/05 17:07
S50	20	timestamp with ((request or allocate or free or deallocate) near2 block)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/03/15 14:29
S51	14	robertson-william.in. or kruegel-christopher.in. or mutz-darren.in. or valeur- fredrik.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/03/06 10:17
S52	1381	timestamp with (request or allocate or free or deallocate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/03/15 14:29
S53	69	timestamp with ((request or allocate or free or deallocate) near3 (memory or block or region or segment or section))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/03/15 15:13
S54	2	("6381682").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 15:38
S55	2	("5625819").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 15:38
S56	2	swafford-michael.in. or chase-kevin-charles.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/08/08 10:41

S57	7694	((timestamp or time) near3 (allocate or allocated or free or freed or request or requested or returned or return)) with (block or chunk or page or segment) and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 10:43
S58	10	((timestamp or time) near3 (allocate or allocated or free or freed or request or requested or returned or return)) with (block or chunk or page or segment) with heap and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 11:48
S59	2	("5809554").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/08 11:49
S60	24	("5437006" "5559980" "5561786").PN. OR ("5809554").URPN.	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/08/08 11:53
S61	0	S60 and timestamp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/08/08 11:53
S62	33636	memory near2 (allocate or allocation or allocated or allocable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/13 15:56
S63	607	S62 and ((overwrite or overflow or boundary) near2 (detect\$3 or check%3 or monitor%3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/13 15:57
S64	122	S63 and ((pattern or flag) near2 (size or area))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/13 15:59
S65	53	S64 and (@ad<"20031231")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/13 16:00

S66	0	(09/772,373).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 16:04
S67	2	09/772,373	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/13 16:04
S68	3	("5949973").PN. OR ("6941473").URPN.	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/05/13 16:04
S69	93	717/124-135	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/13 16:10
S70	2	S69 and ((overwrite or overflow or boundary) near2 (detect\$3 or check%3 or monitor%3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/13 16:11
S71	1436	(memory with block) with allocate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/13 16:11
S72	1	S71 and S69	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/13 16:11
S73	13	padding with ((overwrit\$3 or overflow\$3 or tamper\$3) near3 (detect\$3 or catch\$3 or prevent\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/14 11:12
S74	1882	(pad\$4 or fill\$3) with ((overwrit\$3 or overflow\$3 or tamper\$3) near3 (detect \$3 or catch\$3 or prevent\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/14 11:14

S75	158765	(pattern or flag) near3 (overwrite or use or used or allocate or allocated)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/14 11:15
S76	1882	(pad\$4 or fill\$3) with ((overwrit\$3 or overflow\$3 or tamper\$3) near3 (detect \$3 or catch\$3 or prevent\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/14 12:46
S77	158765	(pattern or flag) near3 (overwrite or use or used or allocate or allocated)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/14 12:46
S78	34	S76 and S77	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/14 12:46
S79	4951	((711/170) or (726/22) or (717/127)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/14 14:20
S80	4960	((711/170) or (726/22) or (717/127)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/15 11:24
S81	159	S80 and ((pattern or flag or detect\$3) with (overwrite or use or used or allocate or allocated)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/15 11:24

5/19/2008 3:38:30 PM

C:\Documents and Settings\jrutz\My Documents\EAST\Workspaces\10750455.wsp